

3413DI DUCTILE IRON SADDLE WITH BALES

BODY CASTING: Ductile Iron per ASTM A536.

BALES: Carbon Steel per AISI 1080, with electro-galvanized di-chromate finish for added corrosion resistance.

NUTS: Carbon Steel per ASTM A563, with electro-galvanized di-chromate finish for added corrosion resistance.

GASKET: NBR per ASTM D2000 with Unique dual O-Ring design permanently bonded in recessed casting, with a temperature range of -25°F to +248°F.

FINISH: Epoxy.



| Nominal Pipe Size | | Pipe OD Range | | Letter Code | Outlet Size | Part Number | List Price | |
|-------------------|----------------|---------------|----------------|-------------|-------------|----------------|------------|----------|
| Inches | MM | Inches | MM | | | | | |
| 2 | 50 | 2.38 - 2.50 | 61 - 64 | A | 1/2 NPT | 341302A005HO-D | \$ 40.30 | |
| | | | | | 3/4 CC | 341302A075HB-D | | |
| | | | | | 3/4 NPT | 341302A075HC-D | | |
| | | | | | 1 CC | 341302A100HD-D | | |
| | | | | | 1 NPT | 341302A100HE-D | | |
| | | | | | 1 1/4 CC | 341302A125HF-D | | \$ 42.30 |
| | | | | | 1 1/4 NPT | 341302A125HG-D | | |
| 3 | 80 | 3.50 | 89 | A | 1 1/2 NPT | 341302A150HI-D | \$ 48.00 | |
| | | | | | 1/2 NPT | 341303A005HO-D | | |
| | | | | | 3/4 CC | 341303A075HB-D | | |
| | | | | | 3/4 NPT | 341303A075HC-D | | |
| | | | | | 1 CC | 341303A100HD-D | | |
| | | | | | 1 NPT | 341303A100HE-D | | |
| | | | | | 1 1/4 CC | 341303A125HF-D | | \$ 62.20 |
| | | 1 1/4 NPT | 341303A125HG-D | | | | | |
| | | 1 1/2 CC | 341303A150HH-D | \$ 51.00 | | | | |
| | | 1 1/2 NPT | 341303A150HI-D | | | | | |
| | | 2 NPT | 341303A200HK-D | | | | | |
| | | 1/2 NPT | 341303B005HO-D | | | | | |
| | | 3/4 CC | 341303B075HB-D | | | | | |
| | | 3/4 NPT | 341303B075HC-D | | | | | |
| 1 CC | 341303B100HD-D | | | | | | | |
| 1 NPT | 341303B100HE-D | \$ 65.20 | | | | | | |
| 1 1/4 CC | 341303B125HF-D | | | | | | | |
| 1 1/4 NPT | 341303B125HG-D | | | | | | | |
| 1 1/2 CC | 341303B150HH-D | | | | | | | |
| 1 1/2 NPT | 341303B150HI-D | | | | | | | |
| 2 NPT | 341303B200HK-D | | | | | | | |

3413DI DUCTILE IRON SADDLE WITH BALES

| Nominal Pipe Size | | Pipe OD Range | | Letter Code | Outlet Size | Part Number | List Price | |
|-------------------|----------------|---------------|----------------|-------------|-------------|----------------|----------------|----------|
| Inches | MM | Inches | MM | | | | | |
| 4 | 100 | 4.00 - 4.50 | 102 - 114 | A | 1/2 NPT | 341304A005HO-D | \$ 52.40 | |
| | | | | | 3/4 CC | 341304A075HB-D | | |
| | | | | | 3/4 NPT | 341304A075HC-D | | |
| | | | | | 1 CC | 341304A100HD-D | | |
| | | | | | 1 NPT | 341304A100HE-D | | |
| | | 1 1/4 CC | 341304A125HF-D | | \$ 67.80 | | | |
| | | 1 1/4 NPT | 341304A125HG-D | | | | | |
| | | 1 1/2 CC | 341304A150HH-D | | | | | |
| | | 1 1/2 NPT | 341304A150HI-D | | | | | |
| | | 2 CC | 341304A200HJ-D | | | | | |
| 4 | 100 | 4.74 - 5.63 | 120 - 143 | B | 1/2 NPT | 341304B005HO-D | \$ 56.60 | |
| | | | | | 3/4 CC | 341304B075HB-D | | |
| | | | | | 3/4 NPT | 341304B075HC-D | | |
| | | | | | 1 CC | 341304B100HD-D | | |
| | | | | | 1 NPT | 341304B100HE-D | | |
| | | 4.74 - 5.14 | 120 - 131 | | C | 1 1/4 CC | 341304C125HF-D | \$ 73.20 |
| | | | | | | 1 1/4 NPT | 341304C125HG-D | |
| | | | | | | 1 1/2 CC | 341304C150HH-D | |
| | | | | | | 1 1/2 NPT | 341304C150HI-D | |
| | | | | | | 2 CC | 341304C200HJ-D | |
| 6 | 150 | 6.00 - 6.63 | 152 - 168 | A | | 1/2 NPT | 341306A005HO-D | \$ 59.30 |
| | | | | | | 3/4 CC | 341306A075HB-D | |
| | | | | | | 3/4 NPT | 341306A075HC-D | |
| | | | | | | 1 CC | 341306A100HD-D | |
| | | | | | | 1 NPT | 341306A100HE-D | |
| | | | | | 1 1/4 CC | 341306A125HF-D | \$ 75.90 | |
| | | | | | 1 1/4 NPT | 341306A125HG-D | | |
| | | | | | 1 1/2 CC | 341306A150HH-D | | |
| | | | | | 1 1/2 NPT | 341306A150HI-D | | |
| | | | | | 2 CC | 341306A200HJ-D | | |
| 2 NPT | 341306A200HK-D | | | | | | | |

3413DI DUCTILE IRON SADDLE WITH BALES

| Nominal Pipe Size | | Pipe OD Range | | Letter Code | Outlet Size | Part Number | List Price | |
|-------------------|----------------|---------------|----------------|-------------|-------------|----------------|------------|----------|
| Inches | MM | Inches | MM | | | | | |
| 6 | 150 | 6.84 - 7.64 | 174 - 194 | B | 1/2 NPT | 341306B005HO-D | \$ 69.70 | |
| | | | | | 3/4 CC | 341306B075HB-D | | |
| | | | | | 3/4 NPT | 341306B075HC-D | | |
| | | | | | 1 CC | 341306B100HD-D | | |
| | | | | | 1 NPT | 341306B100HE-D | | |
| | | | | | 1 1/4 CC | 341306B125HF-D | | \$ 85.90 |
| | | | | | 1 1/4 NPT | 341306B125HG-D | | |
| | | | | | 1 1/2 CC | 341306B150HH-D | | |
| | | | | | 1 1/2 NPT | 341306B150HI-D | | |
| | | 2 CC | 341306B200HJ-D | | | | | |
| | | 2 NPT | 341306B200HK-D | | | | | |
| | | 6.63 - 6.90 | 168 - 175 | C | 1/2 NPT | 341306C005HO-D | \$ 79.30 | |
| | | | | | 3/4 CC | 341306C075HB-D | | |
| | | | | | 3/4 NPT | 341306C075HC-D | | |
| | | | | | 1 CC | 341306C100HD-D | | |
| | | | | | 1 NPT | 341306C100HE-D | | |
| | | | | | 1 1/4 CC | 341306C125HF-D | | \$ 95.30 |
| | | | | | 1 1/4 NPT | 341306C125HG-D | | |
| 1 1/2 CC | 341306C150HH-D | | | | | | | |
| 1 1/2 NPT | 341306C150HI-D | | | | | | | |
| 2 CC | 341306C200HJ-D | | | | | | | |
| 2 NPT | 341306C200HK-D | | | | | | | |
| 8 | 200 | 8.00 - 8.63 | 203 - 219 | A | 1/2 NPT | 341308A005HO-D | \$ 71.70 | |
| | | | | | 3/4 CC | 341308A075HB-D | | |
| | | | | | 3/4 NPT | 341308A075HC-D | | |
| | | | | | 1 CC | 341308A100HD-D | | |
| | | | | | 1 NPT | 341308A100HE-D | | |
| | | | | | 1 1/4 CC | 341308A125HF-D | | \$ 91.90 |
| | | | | | 1 1/4 NPT | 341308A125HG-D | | |
| | | | | | 1 1/2 CC | 341308A150HH-D | | |
| | | | | | 1 1/2 NPT | 341308A150HI-D | | |
| | | 2 CC | 341308A200HJ-D | | | | | |
| | | 2 NPT | 341308A200HK-D | | | | | |
| | | 8.54 - 10.10 | 216 - 257 | B | 1/2 NPT | 341308B005HO-D | \$ 76.00 | |
| | | | | | 3/4 CC | 341308B075HB-D | | |
| | | | | | 3/4 NPT | 341308B075HC-D | | |
| | | | | | 1 CC | 341308B100HD-D | | |
| | | | | | 1 NPT | 341308B100HE-D | | |
| | | | | | 1 1/4 CC | 341308B125HF-D | | \$ 94.90 |
| | | | | | 1 1/4 NPT | 341308B125HG-D | | |
| 1 1/2 CC | 341308B150HH-D | | | | | | | |
| 1 1/2 NPT | 341308B150HI-D | | | | | | | |
| 2 CC | 341308B200HJ-D | | | | | | | |
| 2 NPT | 341308B200HK-D | | | | | | | |

3413DI DUCTILE IRON SADDLE WITH BALES

| Nominal Pipe Size | | Pipe OD Range | | Letter Code | Outlet Size | Part Number | List Price |
|-------------------|-----|---------------|-----------|-------------|-------------|----------------|------------|
| Inches | MM | Inches | MM | | | | |
| 8 | 200 | 8.63 - 9.05 | 219 - 229 | C | 1/2 NPT | 341308C005HO-D | \$80.00 |
| | | | | | 3/4 CC | 341308C075HB-D | |
| | | | | | 3/4 NPT | 341308C075HC-D | |
| | | | | | 1 CC | 341308C100HD-D | |
| | | | | | 1 NPT | 341308C100HE-D | |
| | | | | | 1 1/4 CC | 341308C125HF-D | \$97.90 |
| | | | | | 1 1/4 NPT | 341308C125HG-D | |
| | | | | | 1 1/2 CC | 341308C150HH-D | |
| | | | | | 1 1/2 NPT | 341308C150HI-D | |
| | | | | | 2 CC | 341308C200HJ-D | |
| | | | | | 2 NPT | 341308C200HK-D | |
| 10 | 250 | 10.00 - 11.10 | 254 - 282 | A | 1/2 NPT | 341310A005HO-D | \$ 98.30 |
| | | | | | 3/4 CC | 341310A075HB-D | |
| | | | | | 3/4 NPT | 341310A075HC-D | |
| | | | | | 1 CC | 341310A100HD-D | |
| | | | | | 1 NPT | 341310A100HE-D | |
| | | | | | 1 1/4 CC | 341310A125HF-D | \$ 125.20 |
| | | | | | 1 1/4 NPT | 341310A125HG-D | |
| | | | | | 1 1/2 CC | 341310A150HH-D | |
| | | | | | 1 1/2 NPT | 341310A150HI-D | |
| | | | | | 2 CC | 341310A200HJ-D | |
| | | | | | 2 NPT | 341310A200HK-D | |
| 10 | 250 | 10.64 - 12.12 | 270 - 308 | B | 1/2 NPT | 341310B005HO-D | \$ 98.30 |
| | | | | | 3/4 CC | 341310B075HB-D | |
| | | | | | 3/4 NPT | 341310B075HC-D | |
| | | | | | 1 CC | 341310B100HD-D | |
| | | | | | 1 NPT | 341310B100HE-D | |
| | | | | | 1 1/4 CC | 341310B125HF-D | \$ 125.20 |
| | | | | | 1 1/4 NPT | 341310B125HG-D | |
| | | | | | 1 1/2 CC | 341310B150HH-D | |
| | | | | | 1 1/2 NPT | 341310B150HI-D | |
| | | | | | 2 CC | 341310B200HJ-D | |
| | | | | | 2 NPT | 341310B200HK-D | |
| 12 | 300 | 12.00 - 13.20 | 305 - 335 | A | 1/2 NPT | 341312A005HO-D | \$ 120.00 |
| | | | | | 3/4 CC | 341312A075HB-D | |
| | | | | | 3/4 NPT | 341312A075HC-D | |
| | | | | | 1 CC | 341312A100HD-D | |
| | | | | | 1 NPT | 341312A100HE-D | |
| | | | | | 1 1/4 CC | 341312A125HF-D | \$ 150.00 |
| | | | | | 1 1/4 NPT | 341312A125HG-D | |
| | | | | | 1 1/2 CC | 341312A150HH-D | |
| | | | | | 1 1/2 NPT | 341312A150HI-D | |
| | | | | | 2 CC | 341312A200HJ-D | |
| | | | | | 2 NPT | 341312A200HK-D | |

3413DI DUCTILE IRON SADDLE WITH BALES

| Nominal Pipe Size | | Pipe OD Range | | Letter Code | Outlet Size | Part Number | List Price |
|-------------------|-----------|---------------|-----------|-------------|-------------|-----------------|------------|
| Inches | MM | Inches | MM | | | | |
| 12 | 300 | 12.62 - 14.32 | 321 - 364 | B | 1/2 NPT | 341312B005HO-D | \$ 120.00 |
| | | | | | 3/4 CC | 341312B075HB-D | |
| | | | | | 3/4 NPT | 341312B075HC-D | |
| | | | | | 1 CC | 341312B100HD-D | |
| | | | | | 1 NPT | 341312B100HE-D | |
| | | | | | 1 1/4 CC | 341312B125HF-D | \$ 150.00 |
| | | | | | 1 1/4 NPT | 341312B125HG-D | |
| | | | | | 1 1/2 CC | 341312B150HH-D | |
| | | | | | 1 1/2 NPT | 341312B150HI-D | |
| | | | | | 2 CC | 341312B200HJ-D | |
| | | | | | 2 NPT | 341312B200HK-D | |
| 12 - 14 | 300 - 350 | 14.73 - 15.65 | 374 - 398 | A | 1/2 NPT | 34131214005HO-D | \$ 169.60 |
| | | | | | 3/4 CC | 34131214075HB-D | |
| | | | | | 3/4 NPT | 34131214075HC-D | |
| | | | | | 1 CC | 34131214100HD-D | |
| | | | | | 1 NPT | 34131214100HE-D | |
| | | | | | 1 1/4 CC | 34131214125HF-D | \$ 218.10 |
| | | | | | 1 1/4 NPT | 34131214125HG-D | |
| | | | | | 1 1/2 CC | 34131214150HH-D | |
| | | | | | 1 1/2 NPT | 34131214150HI-D | |
| | | | | | 2 CC | 34131214200HJ-D | |
| | | | | | 2 NPT | 34131214200HK-D | |
| 16 - 18 | 400 - 450 | 17.40 - 18.88 | 442 - 480 | A | 1/2 NPT | 341316A005HO-D | \$ 189.60 |
| | | | | | 3/4 CC | 341316A075HB-D | |
| | | | | | 3/4 NPT | 341316A075HC-D | |
| | | | | | 1 CC | 341316A100HD-D | |
| | | | | | 1 NPT | 341316A100HE-D | |
| | | | | | 1 1/4 CC | 341316A125HF-D | \$ 272.40 |
| | | | | | 1 1/4 NPT | 341316A125HG-D | |
| | | | | | 1 1/2 CC | 341316A150HH-D | |
| | | | | | 1 1/2 NPT | 341316A150HI-D | |
| | | | | | 2 CC | 341316A200HJ-D | |
| | | | | | 2 NPT | 341316A200HK-D | |
| 18 | 450 | 19.50 | 495 | A | 1/2 NPT | 341318A005HO-D | \$ 222.20 |
| | | | | | 3/4 CC | 341318A075HB-D | |
| | | | | | 3/4 NPT | 341318A075HC-D | |
| | | | | | 1 CC | 341318A100HD-D | |
| | | | | | 1 NPT | 341318A100HE-D | |
| | | | | | 1 1/4 CC | 341318A125HF-D | \$ 294.90 |
| | | | | | 1 1/4 NPT | 341318A125HG-D | |
| | | | | | 1 1/2 CC | 341318A150HH-D | |
| | | | | | 1 1/2 NPT | 341318A150HI-D | |
| | | | | | 2 CC | 341318A200HJ-D | |
| | | | | | 2 NPT | 341318A200HK-D | |

3413DI DUCTILE IRON SADDLE WITH BALES

| Nominal Pipe Size | | Pipe OD Range | | Letter Code | Outlet Size | Part Number | List Price |
|-------------------|-----|---------------|-----|-------------|-------------|----------------|------------|
| Inches | MM | Inches | MM | | | | |
| 20 | 500 | 21.60 | 549 | A | 1/2 NPT | 341320A005HO-D | \$ 287.30 |
| | | | | | 3/4 CC | 341320A075HB-D | |
| | | | | | 3/4 NPT | 341320A075HC-D | |
| | | | | | 1 CC | 341320A100HD-D | |
| | | | | | 1 NPT | 341320A100HE-D | |
| | | | | | 1 1/4 CC | 341320A125HF-D | \$ 329.50 |
| | | | | | 1 1/4 NPT | 341320A125HG-D | |
| | | | | | 1 1/2 CC | 341320A150HH-D | |
| | | | | | 1 1/2 NPT | 341320A150HI-D | |
| | | | | | 2 CC | 341320A200HJ-D | |
| 24 | 600 | 25.80 | 655 | A | 1/2 NPT | 341324A005HO-D | \$ 302.60 |
| | | | | | 3/4 CC | 341324A075HB-D | |
| | | | | | 3/4 NPT | 341324A075HC-D | |
| | | | | | 1 CC | 341324A100HD-D | |
| | | | | | 1 NPT | 341324A100HE-D | |
| | | | | | 1 1/4 CC | 341324A125HF-D | \$ 362.50 |
| | | | | | 1 1/4 NPT | 341324A125HG-D | |
| | | | | | 1 1/2 CC | 341324A150HH-D | |
| | | | | | 1 1/2 NPT | 341324A150HI-D | |
| | | | | | 2 CC | 341324A200HJ-D | |
| | | | | | 2 NPT | 341324A200HK-D | |

HOW TO ORDER: Choose nominal pipe size x outlet size and thread configuration. **EXAMPLE:** 4" Ductile Iron O.D. 4.80 with 3/4CC outlet. Order 3413DI - 4B x 3/4 CC Double Bale. **Part Number:** 341304B075HB-D

NOTE: Please advise when saddles are being ordered for use on C900 pipe.

Manufacturer Suggestion: This saddle is not recommended for use on PVC pipe.



COATING OPTION: Anti-Seizing/Galling protection. Available for both Alloy and SST application. Inquire with sales for cost and availability