

3415AS STAINLESS SADDLE SINGLE STRAP

(CAST ALL STAINLESS STEEL BODY)

BODY CASTING: Stainless Steel 18-8 ASTM A743.

STRAP: Type 304 (18-8) Stainless Steel per ASTM A240.

STUD BOLTS: Type 304 (18-8) Stainless Steel per ASTM A193.

NUTS: Type 304 (18-8) Stainless Steel per ASTM A194. **NOTE:** Hex nuts are furnished with fusion bonded coating to prevent seizing and/or galling.

GASKETS: NBR per ASTM D2000; Patented TwinSeal® dual o-ring design incorporating both hydrostatic and mechanical forces to affect a dynamic seal, with a temperature range of -25°F to +248°F.

“NEW”



Nominal Pipe Size		Pipe OD Range		outlet size	Part Number	List Price
Inches	MM	Inches	MM			
3 - 4	80 - 100	3.74 - 4.55	95 - 116	1/2 NPT	3415034005HO-AS	\$ 182.20
				3/4 CC	3415034075HB-AS	
				3/4 NPT	3415034075HC-AS	
				1 CC	3415034100HD-AS	
4-5	100-125	4.74 - 5.63	120 - 143	3/4 CC	3415040075HB-AS	\$ 183.20
				3/4 NPT	3415040075HC-AS	
				1 CC	3415040100HD-AS	
				1 NPT	3415040100HE-AS	\$ 294.60
				1 1/4 CC	3415040125HF-AS	
				1 1/4 NPT	3415040125HG-AS	
5 - 6	125 - 150	5.94 - 6.70	151 - 170	1 1/2 CC	3415040150HH-AS	\$ 294.60
				1 1/2 NPT	3415040150HI-AS	
				2 NPT	3415040200HK-AS	\$ 315.20
				1/2 NPT	3415056005HO-AS	
				3/4 CC	3415056075HB-AS	
				3/4 NPT	3415056075HC-AS	
				1 CC	3415056100HD-AS	
				1 NPT	3415056100HE-AS	
				1 1/4 CC	3415056125HF-AS	
				1 1/4 NPT	3415056125HG-AS	
1 1/2 CC	3415056150HH-AS					
1 1/2 NPT	3415056150HI-AS					
2 CC	3415056200HJ-AS	\$ 315.20				
2 NPT	3415056200HK-AS					

3415AS STAINLESS SADDLE SINGLE STRAP

Nominal Pipe Size		Pipe OD Range		outlet size	Part Number	List Price
Inches	MM	Inches	MM			
6	150	6.84 - 7.60	174 - 193	1/2 NPT	3415060005HO-AS	\$ 188.10
				3/4 CC	3415060075HB-AS	
				3/4 NPT	3415060075HC-AS	
				1 CC	3415060100HD-AS	
				1 NPT	3415060100HE-AS	
				1 1/4 CC	3415060125HF-AS	\$ 322.10
				1 1/4 NPT	3415060125HG-AS	
				1 1/2 CC	3415060150HH-AS	
				1 1/2 NPT	3415060150HI-AS	
				2 CC	3415060200HJ-AS	
6C	150	6.63 - 6.90	168 - 175	1/2 NPT	341506C005HO-AS	\$ 203.70
				3/4 CC	341506C075HB-AS	
				3/4 NPT	341506C075HC-AS	
				1 CC	341506C100HD-AS	
				1 NPT	341506C100HE-AS	
				1 1/4 CC	341506C125HF-AS	\$ 322.10
				1 1/4 NPT	341506C125HG-AS	
				1 1/2 CC	341506C150HH-AS	
				1 1/2 NPT	341506C150HI-AS	
				2 CC	341506C200HJ-AS	
6 - 8	150 - 200	7.69 - 8.72	195 - 222	1/2 NPT	3415068005HO-AS	\$ 204.50
				3/4 CC	3415068075HB-AS	
				3/4 NPT	3415068075HC-AS	
				1 CC	3415068100HD-AS	
				1 NPT	3415068100HE-AS	
				1 1/4 CC	3415068125HF-AS	\$ 324.30
				1 1/4 NPT	3415068125HG-AS	
				1 1/2 CC	3415068150HH-AS	
				1 1/2 NPT	3415068150HI-AS	
				2 CC	3415068200HJ-AS	
8A	200	8.63 - 9.05	219 - 229	1/2 NPT	341508A005HO-AS	\$ 206.60
				3/4 CC	341508A075HB-AS	
				3/4 NPT	341508A075HC-AS	
				1 CC	341508A100HD-AS	
				1 NPT	341508A100HE-AS	
				1 1/4 CC	341508A125HF-AS	\$ 332.50
				1 1/4 NPT	341508A125HG-AS	
				1 1/2 CC	341508A150HH-AS	
				1 1/2 NPT	341508A150HI-AS	
				2 CC	341508A200HJ-AS	
2 NPT	341508A200HK-AS					

3415AS STAINLESS SADDLE SINGLE STRAP

Nominal Pipe Size		Pipe OD Range		outlet size	Part Number	List Price
Inches	MM	Inches	MM			
8 - 10	200 - 250	8.54 - 10.10	217 - 257	1/2 NPT	3415080005HO-AS	\$ 211.90
				3/4 CC	3415080075HB-AS	
				3/4 NPT	3415080075HC-AS	
				1 CC	3415080100HD-AS	
				1 NPT	3415080100HE-AS	
				1 1/4 CC	3415080125HF-AS	\$ 347.10
				1 1/4 NPT	3415080125HG-AS	
				1 1/2 CC	3415080150HH-AS	
				1 1/2 NPT	3415080150HI-AS	
				2 CC	3415080200HJ-AS	
10 - 12	250 - 300	10.64 - 12.12	270 - 308	1/2 NPT	3415100005HO-AS	\$ 234.70
				3/4 CC	3415100075HB-AS	
				3/4 NPT	3415100075HC-AS	
				1 CC	3415100100HD-AS	
				1 NPT	3415100100HE-AS	
				1 1/4 CC	3415100125HF-AS	\$ 365.20
				1 1/4 NPT	3415100125HG-AS	
				1 1/2 CC	3415100150HH-AS	
				1 1/2 NPT	3415100150HI-AS	
				2 CC	3415100200HJ-AS	
12 - 14	300 - 350	12.62 - 14.32	321 - 364	1/2 NPT	3415120005HO-AS	\$ 252.90
				3/4 CC	3415120075HB-AS	
				3/4 NPT	3415120075HC-AS	
				1 CC	3415120100HD-AS	
				1 NPT	3415120100HE-AS	
				1 1/4 CC	3415120125HF-AS	\$ 393.70
				1 1/4 NPT	3415120125HG-AS	
				1 1/2 CC	3415120150HH-AS	
				1 1/2 NPT	3415120150HI-AS	
				2 CC	3415120200HJ-AS	
				2 NPT	3415120200HK-AS	

HOW TO ORDER: Choose nominal pipe size x outlet size and thread configuration. **EXAMPLE:** 4" Ductile Iron O.D. 4.80 with 3/4 CC outlet. Order 3415AS 4-5 x 3/4 CC. **Part Number:** 3415040075HB-AS .

NOTE: Please advise when saddles are being ordered for use on C900 pipe.

Manufacturer Suggestion: For PVC pipe applications, order saddle which has OD of pipe at the top of the range.



COATING OPTION: Anti-Seizing/Galling protection. Available for both Alloy and SST application. Inquire with sales for cost and availability