

3415DI DUCTILE IRON SADDLE SINGLE STRAP

BODY CASTING: Ductile Iron per ASTM A536.

STRAP: Type 304 (18-8) Stainless Steel per ASTM A240.

STUD BOLTS: Type 304 (18-8) Stainless Steel per ASTM A193.

NUTS: Type 304 (18-8) Stainless Steel per ASTM A194. **NOTE:** Hex nuts are furnished with fusion bonded coating to prevent seizing and/or galling.

GASKET: NBR per ASTM D2000 with Unique dual O-Ring design permanently bonded in recessed casting, with a temperature range of V-25°F to +248°F.

FINISH: Epoxy.



Nominal Pipe Size		Pipe OD Range		outlet size	Part Number	List Price
Inches	MM	Inches	MM			
1	25	1.31 - 1.39	33 - 35	1/2 NPT	3415010005HO	\$ 65.80
				3/4 CC	3415010075HB	
				3/4 NPT	3415010075HC	
				1 CC	3415010100HD	
				1 NPT	3415010100HE	
1 1/4 - 1 1/2	32	1.61 - 1.92	41 - 49	1/2 NPT	3415015005HO	\$ 66.30
				3/4 CC	3415015075HB	
				3/4 NPT	3415015075HC	
				1 CC	3415015100HD	
				1 NPT	3415015100HE	
2A	50	2.13	54	1/2 NPT	341502A005HO	\$ 67.90
				3/4 CC	341502A075HB	
				3/4 NPT	341502A075HC	
				1 CC	341502A100HD	
				1 NPT	341502A100HE	
2B	50	2.38	61	1/2 NPT	341502B005HO	\$ 67.90
				3/4 CC	341502B075HB	
				3/4 NPT	341502B075HC	
				1 CC	341502B100HD	
				1 NPT	341502B100HE	
2C	50	2.35 - 2.56	60 - 65	1/2 NPT	341502C005HO	\$ 67.90
				3/4 CC	341502C075HB	
				3/4 NPT	341502C075HC	
				1 CC	341502C100HD	
				1 NPT	341502C100HE	
				1 1/4 CC	341502C125HF	\$ 79.60
				1 1/4 NPT	341502C125HG	
1 1/2 NPT	341502C150HH					
2 1/4 - 2 1/2	55 - 65	2.44 - 2.91	62 - 74	1/2 NPT	3415025005HO	\$ 69.30
				3/4 CC	3415025075HB	
				3/4 NPT	3415025075HC	
				1 CC	3415025100HD	
				1 NPT	3415025100HE	
				1 1/4 CC	3415025125HF	\$ 81.70
				1 1/4 NPT	3415025125HG	
				1 1/2 NPT	3415025150HI	

3415DI DUCTILE IRON SADDLE SINGLE STRAP

Nominal Pipe Size		Pipe OD Range		outlet size	Part Number	List Price
Inches	MM	Inches	MM			
3	80	2.97 - 3.54	75 - 90	1/2 NPT	3415030005HO	\$ 70.60
				3/4 CC	3415030075HB	
				3/4 NPT	3415030075HC	
				1 CC	3415030100HD	
				1 NPT	3415030100HE	\$ 83.00
				1 1/4 CC	3415030125HF	
				1 1/4 NPT	3415030125HG	
				1 1/2 CC	3415030150HH	
3 - 4	80 - 100	3.74 - 4.55	95 - 116	1 1/2 NPT	3415030150HI	\$ 67.00
				1/2 NPT	3415034005HO	
				3/4 CC	3415034075HB	
				3/4 NPT	3415034075HC	
				1 CC	3415034100HD	\$ 84.30
				1 NPT	3415034100HE	
				1 1/4 CC	3415034125HF	
				1 1/4 NPT	3415034125HG	
4-5	100-125	4.74 - 5.63	120 - 143	1 1/2 CC	3415034150HH	\$ 68.60
				1 1/2 NPT	3415034150HI	
				2 NPT	3415040200HK	
				3/4 CC	3415040075HB	
				3/4 NPT	3415040075HC	\$ 85.60
				1 CC	3415040100HD	
				1 NPT	3415040100HE	
				1 1/4 CC	3415040125HF	
5 - 6	125 - 150	5.94 - 6.70	151 - 170	1 1/4 NPT	3415040125HG	\$ 78.50
				1 1/2 CC	3415040150HH	
				1 1/2 NPT	3415040150HI	
				1/2 NPT	3415056005HO	
				3/4 CC	3415056075HB	\$ 92.20
				3/4 NPT	3415056075HC	
				1 CC	3415056100HD	
				1 NPT	3415056100HE	
				1 1/4 CC	3415056125HF	
				1 1/4 NPT	3415056125HG	
1 1/2 CC	3415056150HH					
1 1/2 NPT	3415056150HI					
2 CC	3415056200HJ					
2 NPT	3415056200HK					

3415DI DUCTILE IRON SADDLE SINGLE STRAP

Nominal Pipe Size		Pipe OD Range		outlet size	Part Number	List Price
Inches	MM	Inches	MM			
6	150	6.84 - 7.60	174 - 193	1/2 NPT	3415060005HO	\$ 79.70
				3/4 CC	3415060075HB	
				3/4 NPT	3415060075HC	
				1 CC	3415060100HD	
				1 NPT	3415060100HE	
				1 1/4 CC	3415060125HF	\$ 93.40
				1 1/4 NPT	3415060125HG	
				1 1/2 CC	3415060150HH	
				1 1/2 NPT	3415060150HI	
				2 CC	3415060200HJ	
				2 NPT	3415060200HK	
6C	150	6.63 - 6.90	168 - 175	1/2 NPT	341506C005HO	\$ 79.70
				3/4 CC	341506C075HB	
				3/4 NPT	341506C075HC	
				1 CC	341506C100HD	
				1 NPT	341506C100HE	
				1 1/4 CC	341506C125HF	\$ 93.40
				1 1/4 NPT	341506C125HG	
				1 1/2 CC	341506C150HH	
				1 1/2 NPT	341506C150HI	
				2 CC	341506C200HJ	
				2 NPT	341506C200HK	
6 - 8	150 - 200	7.69 - 8.72	195 - 222	1/2 NPT	3415068005HO	\$ 93.10
				3/4 CC	3415068075HB	
				3/4 NPT	3415068075HC	
				1 CC	3415068100HD	
				1 NPT	3415068100HE	
				1 1/4 CC	3415068125HF	\$ 111.20
				1 1/4 NPT	3415068125HG	
				1 1/2 CC	3415068150HH	
				1 1/2 NPT	3415068150HI	
				2 CC	3415068200HJ	
				2 NPT	3415068200HK	
8A	200	8.63 - 9.05	219 - 229	1/2 NPT	341508A005HO	\$ 94.20
				3/4 CC	341508A075HB	
				3/4 NPT	341508A075HC	
				1 CC	341508A100HD	
				1 NPT	341508A100HE	
				1 1/4 CC	341508A125HF	\$ 112.10
				1 1/4 NPT	341508A125HG	
				1 1/2 CC	341508A150HH	
				1 1/2 NPT	341508A150HI	
				2 CC	341508A200HJ	
				2 NPT	341508A200HK	

3415DI DUCTILE IRON SADDLE SINGLE STRAP

Nominal Pipe Size		Pipe OD Range		outlet size	Part Number	List Price	
Inches	MM	Inches	MM				
8 - 10	200 - 250	8.54 - 10.10	217 - 257	1/2 NPT	3415080005HO	\$ 94.70	
				3/4 CC	3415080075HB		
				3/4 NPT	3415080075HC		
				1 CC	3415080100HD		
				1 NPT	3415080100HE		
				1 1/4 CC	3415080125HF	\$ 112.50	
				1 1/4 NPT	3415080125HG		
				1 1/2 CC	3415080150HH		
				1 1/2 NPT	3415080150HI		
				2 CC	3415080200HJ		
10 - 12	250 - 300	10.64 - 12.12	270 - 308	2 NPT	3415080200HK	\$ 103.40	
				1/2 NPT	3415100005HO		
				3/4 CC	3415100075HB		
				3/4 NPT	3415100075HC		
				1 CC	3415100100HD		
				1 NPT	3415100100HE		
				1 1/4 CC	3415100125HF		\$ 126.30
				1 1/4 NPT	3415100125HG		
				1 1/2 CC	3415100150HH		
				1 1/2 NPT	3415100150HI		
2 CC	3415100200HJ						
12 - 14	300 - 350	12.62 - 14.32	321 - 364	2 NPT	3415100200HK	\$ 119.60	
				1/2 NPT	3415120005HO		
				3/4 CC	3415120075HB		
				3/4 NPT	3415120075HC		
				1 CC	3415120100HD		
				1 NPT	3415120100HE		
				1 1/4 CC	3415120125HF	\$ 146.90	
				1 1/4 NPT	3415120125HG		
				1 1/2 CC	3415120150HH		
				1 1/2 NPT	3415120150HI		
2 CC	3415120200HJ						
				2 NPT	3415120200HK		

HOW TO ORDER: Choose nominal pipe size x outlet size and thread configuration. **EXAMPLE:** 4" Ductile Iron O.D. 4.80 with 3/4 CC outlet. Order 3415 4-5 x 3/4 CC. **Part Number:** 3415040075HB .

NOTE: Please advise when saddles are being ordered for use on C900 pipe.

Manufacturer Suggestion: For PVC pipe applications, order saddle which has OD of pipe at the top of the range.



COATING OPTION: Anti-Seizing/Galling protection. Available for both Alloy and SST application.

Inquire with sales for cost and availability