

3425 POWERSTOP SADDLE

(FOR COPPER, STEEL AND PVC PIPE)

PANEL & LIFTER BAR: Type 304 (18-8) Stainless Steel per ASTM A240.

GASKET: 3/16" thick gridded NBR per ASTM D2000 from 100% new rubber to ensure performance under varying pressures with superior storage characteristics. Suitable for mild acids, water and salt media with a temperature range of -25° to +248° F.

ARMOR PLATE: Type 304 (18-8) Stainless Steel per ASTM A240.

BOLTS & NUTS: Type 304 (18-8) Stainless Steel per ASTM A193 & A194. **NOTE:** Hex nuts are furnished with fusion bonded coating to prevent seizing and galling.

LUGS: Type 304 (18-8) Stainless Steel per ASTM A240.

WASHERS: Delrin per ASTM D6778.

OUTLET: Type 304 (18-8) Stainless Steel per ASTM A312.



Nominal Pipe Size		Letter Code	Pipe OD Range		Outlet Size MIP		Part Number	List Price
Inches	MM		Inches	MM	Inches	MM		
3/4	20		Copper Tubing OD					
		A	0.88	22	3/4	20	3425007A0000	\$ 298.20
			Steel Pipe OD		Outlet Size			
		B	1.05	26	3/4	20	3425007B0000	\$ 298.20
1	25		Copper Tubing OD					
		A	1.13	29	3/4	20	3425010A0000	\$ 304.30
		B			1	25	3425010B0000	\$ 328.70
			Steel Pipe OD		Outlet Size			
		C	1.32	34	3/4	20	3425010C0000	\$ 304.30
		D			1	25	3425010D0000	\$ 328.70
1 1/4	32		Copper Tubing OD					
		A	1.38	35	3/4	20	3425012A0000	\$ 310.40
		B			1	25	3425012B0000	\$ 333.40
		C			1 1/4	32	3425012C0000	\$ 368.60
			Steel Pipe OD		Outlet Size			
		AS			3/4	20	3425012A000S	\$ 310.40
		D	1.66	42	1	25	3425012D0000	\$ 333.40
		E			1 1/4	32	3425012E0000	\$ 368.60
	Copper Tubing OD		Outlet Size					
1 1/2	40	A	1.63	41	3/4	20	3425015A0000	\$ 316.60
		B			1	25	3425015B0000	\$ 395.90
		H			1 1/4	32	3425015H0000	\$ 411.50
		C			1 1/2	40	3425015C0000	\$ 419.10
			Steel Pipe OD		Outlet Size			
		AS			3/4	20	3425015A000S	\$ 316.60
		D	1.90	48	1	25	3425015D0000	\$ 395.90
		E			1 1/4	32	3425015E0000	\$ 411.50
		F			1 1/2	40	3425015F0000	\$ 419.10

3425 POWERSTOP SADDLE

Nominal Pipe Size		Letter Code	Pipe OD Range		Outlet Size MIP		Part Number	List Price		
Inches	MM		Inches	MM	Inches	MM				
2	50	Copper Tubing OD		Outlet Size						
		A	2.13	54	3/4	20	3425020A0000	\$ 327.30		
		B			1	25	3425020B0000	\$ 403.80		
		H			1 1/4	32	3425020H0000	\$ 415.80		
		C			1 1/2	40	3425020C0000	\$ 435.70		
		D			2	50	3425020D0000	\$ 464.30		
		Steel Pipe OD		Outlet Size						
		AS	2.38	60	3/4	20	3425020A0000S	\$ 327.30		
		E			1	25	3425020E0000	\$ 403.80		
		I			1 1/4	32	3425020I0000	\$ 415.80		
		F			1 1/2	40	3425020F0000	\$ 435.70		
		G			2	50	3425020G0000	\$ 464.30		
		2 1/2	65	Copper Tubing OD		Outlet Size				
				A	2.63	67	3/4	20	3425025A0000	\$ 333.80
B	1			25			3425025B0000	\$ 411.70		
K	1 1/4			32			3425025K0000	\$ 427.90		
J	1 1/2			40			3425025J0000	\$ 444.00		
C	2			40			3425025C0000	\$ 546.30		
D	2 1/2			50	3425025D0000	\$ 637.30				
Steel Pipe OD				Outlet Size						
AS	2.88			73	3/4	20	3425025A0000S	\$ 333.80		
E					1	25	3425025E0000	\$ 411.70		
I					1 1/4	32	3425025I0000	\$ 427.90		
F					1 1/2	40	3425025F0000	\$ 444.00		
G					2	50	3425025G0000	\$ 546.30		
H	2 1/2			65	3425025H0000	\$ 637.30				
3	80	Copper Tubing OD		Outlet Size						
		A	3.13	80	3/4	20	3425030A0000	\$ 340.50		
		B			1	25	3425030B0000	\$ 420.10		
		J			1 1/4	32	3425030J0000	\$ 436.50		
		C			1 1/2	40	3425030C0000	\$ 452.90		
		D			2	50	3425030D0000	\$ 557.20		
		L			2 1/2	65	3425030L0000	\$ 650.30		
		E			3	80	3425030E0000-12	\$ 675.50		
		Steel Pipe OD		Outlet Size						
		AS	3.50	80	3/4	20	3425030A0000S	\$ 340.50		
		F			1	25	3425030F0000	\$ 420.10		
		M			1 1/4	32	3425030M0000	\$ 436.50		
		G			1 1/2	40	3425030G0000	\$ 452.90		
		H			2	50	3425030H0000	\$ 557.20		
K	2 1/2	65			3425030K0000	\$ 650.30				
I	3	80			3425030I0000-12	\$ 675.50				

3425 POWERSTOP SADDLE

Nominal Pipe Size		Letter Code	Pipe OD Range		Outlet Size MIP		Part Number	List Price
Inches	MM		Inches	MM	Inches	MM		
			Copper Tubing OD		Outlet Size			
4	100	A	4.13	105	3/4	20	3425040A0000	\$ 347.30
		B			1	25	3425040B0000	\$ 428.70
		L			1 1/4	32	3425040L0000	\$ 445.40
		C			1 1/2	40	3425040C0000	\$ 462.00
		D			2	50	3425040D0000	\$ 568.60
		M			2 1/2	65	3425040M0000	\$ 663.60
		E			3	80	3425040E0000-12	\$ 689.20
		F			4	100	3425040F0000-12	\$ 703.00
			Steel Pipe OD		Outlet Size			
4	100	AS	4.50	105	3/4	20	3425040A0000S	\$ 347.30
		G			1	25	3425040G0000	\$ 428.70
		N			1 1/4	32	3425040N0000	\$ 445.40
		H			1 1/2	40	3425040H0000	\$ 462.00
		I			2	50	3425040I0000	\$ 568.60
		Q			2 1/2	65	3425040Q0000	\$ 663.60
		J			3	80	3425040J0000-12	\$ 689.20
		K			4	100	3425040K0000-12	\$ 703.00
			Copper Tubing OD		Outlet Size			
5	125	AS	5.13	130	3/4	20	3425050A0000S	\$ 354.20
		A			1	25	3425050A0000	\$ 437.40
		N			1 1/4	32	3425050N0000	\$ 454.30
		B			1 1/2	40	3425050B0000	\$ 471.20
		C			2	50	3425050C0000	\$ 579.70
		E			2 1/2	65	3425050E0000	\$ 677.10
		D			3	80	3425050D0000-12	\$ 703.30
					Copper Tubing OD		Outlet Size	
6	150	AS	6.13	156	3/4	20	3425060A0000S	\$ 361.40
		A			1	25	3425060A0000	\$ 446.30
		H			1 1/4	32	3425060H0000	\$ 463.60
		B			1 1/2	40	3425060B0000	\$ 480.80
		C			2	50	3425060C0000	\$ 591.50
		L			2 1/2	65	3425060L0000	\$ 690.90
		D			3	80	3425060D0000-12	\$ 717.70

CUSTOM SIZES AVAILABLE.

The Model 3425 is used for tapping water, sewage, and air systems. The PowerStop Saddle offers a wide range of tapping outlets including size-on-size for copper, steel, and PVC pipelines. Male NPT outlets are available in all standard pipe sizes and the entire fitting is fabricated from stainless steel. The patented complete circle gasket provides a safe and reliable seal while insulating the saddle from galvanic corrosion.

HOW TO ORDER: Specify Model Number, Pipe Size with Letter Code. EXAMPLE: 2" Copper Tubing O.D. 2.13 with 1" MIPT. Order 3425 - 2B. **Part Number:** 3425020B0000 .