

3501EC ENDCAP COUPLING

The EndCap Coupling is used to Dead End a pipeline permanently or for test purposes. The 2" NPT plugged outlet can be oriented at the top to vent air or rotated to the bottom of the coupling to function as a drain.

CENTER BARREL: Ductile Iron per ASTM A536 and AWWA C219.

GASKET: SBR per ASTM D2000 with transition design produced from 100% new rubber to ensure performance under varying pressures with superior storage characteristics per AWWA C219. Suitable for mild acids, water and salt media with a temperature range of -25° to +200° F. Other materials available

BOLTS & NUTS: Low Alloy Steel per ASTM A325, ASTM A563, and AWWA C219./ Type 304 (18-8) Stainless Steel per ASTM A193 and A194.

GLANDS: Ductile Iron per ASTM A536 and AWWA C219.

END CAP: Ductile Iron per ASTM A536 and AWWA C219.

FINISH: Epoxy.



Nominal Pipe Size			Pipe OD Range		Approx. Weight		Barrel Length		Bolts	Part Number	List Price	Part Number w/SST N&Bs	List Price w/ SST N&Bs
Inches	MM		Inches	MM	lbs	kgs	In-ches	MM	Qty				
2	50	A	2.35-2.63	60-67	10	4	5	125	2	350102A000EC	\$ 113.80	350102A0SSEC	\$ 149.00
2 1/2	65	A	2.69-2.88	68-73	12	5	5	125	2	3501025A00EC	\$ 136.10	3501025ASSEC	\$ 174.40
3	80	A	3.25-3.55	83-90	17	7	5	125	3	350103A000EC	\$ 167.10	350103A0SSEC	\$ 248.30
		B	3.70-4.00	94-102						350103B000EC		350103B0SSEC	
		C	3.95-4.25	100-108						350103C000EC		350103C0SSEC	
4	100	OD	4.00-4.13	102-105	18	8	6	150	4	350104D000EC	\$ 192.30	350104D0SSEC	\$ 264.90
		AA	4.20-4.50	107-144						350104AA00EC		350104AASSEC	
		A	4.50-4.85	114-123						350104A000EC		350104A0SSEC	
		B	4.80-5.10	122-130						350104B000EC		350104B0SSEC	
		C	5.05-5.40	128-137						350104C000EC		350104C0SSEC	
6	150	OD	6.00-6.14	152-156	33	15	6	150	5	350106D000EC	\$ 255.60	350106D0SSEC	\$ 328.40
		AA	6.27-6.72	159-171						350106AA00EC		350106AASSEC	
		A	6.62-6.95	168-177						350106A000EC		350106A0SSEC	
		B	6.90-7.22	175-183						350106B000EC		350106B0SSEC	
		C	7.19-7.45	183-189						350106C000EC		350106C0SSEC	
8	200	OD	8.00-8.16	203-207	45	20	6	150	6	350108D000EC	\$ 337.30	350108D0SSEC	\$ 426.80
		AA	8.40-8.82	213-224						350108AA00EC		350108AASSEC	
		A	8.62-9.05	219-230						350108A000EC		350108A0SSEC	
		B	9.05-9.45	230-240						350108B000EC		350108B0SSEC	
		C	9.10-9.79	231-249						350108C000EC		350108C0SSEC	
10	250	A	10.70-11.10	272-282	67	30	6	150	7	350110A000EC	\$ 585.40	350110A0SSEC	\$ 685.40
		B	11.10-11.50	282-292						350110B000EC		350110B0SSEC	
		C	11.60-12.12	295-308						350110C000EC		350110C0SSEC	
12	300	A	12.75-13.20	324-335	92	41	6	150	8	350112A000EC	\$ 767.00	350112A0SSEC	\$ 892.30
		B	13.20-13.50	335-343						350112B000EC		350112B0SSEC	
		C	13.78-14.38	350-365						350112C000EC		350112C0SSEC	

3501EC ENDCAP COUPLING

Nominal Pipe Size		Pipe OD Range		Approx. Weight		Barrel Length		Bolts	Part Number	List Price	Part Number w/SST N&Bs	List Price w/SST N&Bs	
Inches	MM	Inches	MM	lbs	kgs	Inches	MM	Qty					
14	350	A	15.30-15.70	389-399	CONSULT FACTORY	6	150	9	350114A000EC	\$ 1,066.70	350114A0SSEC	\$ 1,255.20	
		B	16.00-16.40	406-417					350114B000EC		350114B0SSEC		
		C	16.40-16.88	417-429					350114C000EC		350114C0SSEC		
16	400	A	17.15-17.40	436-442		6	150	10	350116A000EC	\$ 1,386.60	350116A0SSEC	\$ 1,637.10	
		B	17.40-17.80	442-457					350116B000EC		350116B0SSEC		
		C	18.46-19.00	469-483					350116C000EC		350116C0SSEC		
18	450	A	18.70-19.10	475-485		7	180	12	350118A000EC	\$ 1,706.80	350118A0SSEC	\$ 3,569.90	
		B	19.10-19.70	485-500					350118B000EC		350118B0SSEC		
		C	19.70-20.25	500-514					350118C000EC		350118C0SSEC		
20	500	A	20.80-21.35	528-542		7	180	12	350120A000EC	\$ 2,138.90	350120A0SSEC	\$ 2,311.40	
		B	21.35-21.75	542-552					350120B000EC		350120B0SSEC		
		C	21.75-22.25	552-565					350120C000EC		350120C0SSEC		
24	600	A	25.00-25.80	635-655		10	250	14	350124A000EC	\$ 3,267.50	350124A0SSEC	\$ 3,504.70	
		B	26.10-26.32	663-669					350124B000EC		350124B0SSEC		
30	750	A	31.74-32.00	806-813		10	250	14	350130A000EC	\$ 4,722.70	350130A0SSEC	POA	
		B	32.40-32.74	823-832					350130B000EC		350130B0SSEC		
36	900	AA	37.93-38.54	963-979		16	400	16	350136AA000EC	\$ 17,215.70	350136AASSEC	POA	
		A	38.54-39.16	979-995					350136A000EC		350136A0SSEC		
36	900	B	39.16-39.55	995-1005		CONSULT FACT	16	400	16	350136B000EC	\$ 17,215.70	350136B0SSEC	POA
		C	39.55-40.05	1005-1007						350136C000EC		350136C0SSEC	
48	1200	AA	50.10-50.72	1273-1288		CONSULT FACT	16	400	16	350148AA000EC	\$ 21,716.00	350148AASSEC	POA
		A	50.72-51.34	1288-1304						350148A000EC		350148A0SSEC	
		B	51.34-51.72	1304-1314						350148B000EC		350148B0SSEC	
		C	51.72-52.06	1314-1322						350148C000EC		350148C0SSEC	

Note: Protection against possible pull out of pipe ends is not provided with cast couplings unless pipe is restrained.

HOW TO ORDER: Specify Model Number, Pipe Size with Letter Code(s). **EXAMPLE:** To connect an end cap coupling to a plain end piece of pipe with an O.D. of 4.80 order 3501EC-4B **Part Number:** 350104B000EC



COATING OPTION: Anti-Seizing/Galling protection. Available for both Alloy and SST application. Inquire with sales for cost and availability.